

## PRODUCT DISCONTINUANCE NOTICE (PDN)

**PDN Number: #12-0016**

Issue Date: **October 26, 2012**

Product(s) Affected: **See attached spreadsheet**

Alternative/Replacement Part: **Contact Pericom Sales**

Last Purchase Date: **April 26, 2013**

Last Shipment Date: **July 26, 2013**

**Reason for Discontinuing Listed Products:**

Obsolete Design/Process Technology

Obsolete Package/Assembly

Technology

No current or rapidly declining sales

Other:

**See Product List Attachment:**  Yes;  No

**Pericom Contact: Raul Aman**

Title: Quality Assurance Director

Phone: 408 435-0800

Fax: 408-435-1100

eMail: PCN\_PDN@pericom.com

**\* Note:**

*Pericom would like to notify all customers that products listed in the attached spreadsheet have been phased-out due to no current or rapidly declining sales.*

*In some cases, availability may be limited, and the normal last time purchase and shipment methods may not be supported. Customers are encouraged to provide requirements as early as possible.*

*Pericom apologizes for any inconvenience this situation may cause.*

**Customer Acknowledgement:**

Customer: .....

Name: .....

Title: .....

Date: .....

E-Mail: .....

Phone: .....

Fax: .....

*Customers may use this form to acknowledge receipt of this notification, or can e-mail the Pericom contact noted above.*

**Customer Comments:** .....

Pericom Internal Use Only:

Location:     PSC             PTI             PSE-TW             PSE-SD

PSETW PDN: N/A

PDN # 12-0016, Affected Part Numbers

Product Line	Part Number	Product Family	Description	PkgLds	Comments for Customers	Product Marketing	Product Marketing email
Switch	PI3A114-AZHEX	Analog Switch	1:4 mux/demux with low swing	ZH12	Use PI3A114-AZLE	John Bai	jbai@PERICOM.com
Switch	PI3A268SCZMEX	Analog Switch	Dual SPDT for -2V audio signal	ZM10	Use PI3A268CZMEX	John Bai	jbai@PERICOM.com
Switch	PI3A4626TEX	Analog Switch	3.3V, 0.4-Ohm, SPST Analog	T05	Possible replacement PI5A3166CE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16209AEX	Bus Switch	3.3V, 18 Bit Bus Switch	A48	contact marketing	John Bai	jbai@PERICOM.com
Switch	PI3B16209AE	Bus Switch	3.3V, 18 Bit Bus Switch	A48	contact marketing	John Bai	jbai@PERICOM.com
Switch	PI3B16232AEX	Bus Switch	3.3V, 16 to 32 Synchronous Bus	A56	Possible replacement PI3B16233AE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16232AE	Bus Switch	3.3V, 16 to 32 Synchronous Bus	A56	Possible replacement PI3B16233AE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16245AEX	Bus Switch	3.3V, 16 Bit Bus Switch	A48	Possible replacement PI3C32X245 (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16245AE	Bus Switch	3.3V, 16 Bit Bus Switch	A48	Possible replacement PI3C32X245 (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16292AEX	Bus Switch	3.3V,12-24 Bit Demux/Mux Bus	A56	Possible replacement PI5C33X257BE,PI3B16226BE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3B16292AE	Bus Switch	3.3V,12-24 Bit Demux/Mux Bus	A56	Possible replacement PI5C33X257BE,PI3B16226BE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI3G512ZKEX	Bus Switch	1.8/3.3V 5channel 1:2mux/demux	ZK24	contact marketing	John Bai	jbai@PERICOM.com
Switch	PI3G512ZKE	Bus Switch	1.8/3.3V 5channel 1:2mux/demux	ZK24	contact marketing	John Bai	jbai@PERICOM.com
Switch	PI3HDMI412FTBEX	ASSP	DVI/HDMI Passive Switch	B48	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3HDMI412FTBE	ASSP	DVI/HDMI Passive Switch	B48	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3HDMI412FTZHEX	ASSP	DVI/HDMI Passive Switch	ZH42	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3HDMI412FTZHE	ASSP	DVI/HDMI Passive Switch	ZH42	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3HDMI412ZHHEX	ASSP	DVI/HDMI Passive Switch	ZH42	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3HDMI412ZHHE	ASSP	DVI/HDMI Passive Switch	ZH42	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3PCIE2415-AZHEX	ASSP	3.3V PCIe 2.0, 2:1 Mux/DeMux Switch	ZH42	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2415-AZHE	ASSP	3.3V PCIe 2.0, 2:1 Mux/DeMux Switch	ZH42	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2612-BZFEX	ASSP	6-differential channel switch	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2612-BZFE	ASSP	6-differential channel switch	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2615ZFEX	ASSP	HDMI/PCIeG2 Level-shifting 1:2 Display Sw	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2615ZFE	ASSP	HDMI/PCIeG2 Level-shifting 1:2 Display Sw	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2635ZFEX	ASSP	HDMI/PCIeG2 Level-shifting 1:2 Display Sw	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3PCIE2635ZFE	ASSP	HDMI/PCIeG2 Level-shifting 1:2 Display Sw	ZF56	contact marketing	Kay Annamalai	KAnnamalai@PERICOM.com
Switch	PI3USB10LP-AZMEX	ASSP	Dual SPDT USB 2.0 Compliant Sw	ZM10	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3USB10LP-BZLEX	ASSP	USB switch for low power	ZL10	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3USBA201ZLEX	ASSP	Dual SPDT for USB HS and AC	ZL10	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3V712-BZHEX	ASSP	7-channel bi-directional VGA switch with D	ZH28	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3V712-BZHE	ASSP	7-channel bi-directional VGA switch with D	ZH28	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3V712-BZLEX	ASSP	7-channel bi-directional VGA switch with D	ZL32	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3V712-BZLE	ASSP	7-channel bi-directional VGA switch with D	ZL32	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3VDP200ZFEX	ASSP	2:1 Digital Video Rx mux	ZF56	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3VDP200ZFE	ASSP	2:1 Digital Video Rx mux	ZF56	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI3VDP411LSTAZBEX	ASSP	Dual Mode DisplayPort to TMDS Electrical	ZB48	contact marketing	Jae Lee	jaelee@PERICOM.com
Switch	PI3VDP411LSTAZBE	ASSP	Dual Mode DisplayPort to TMDS Electrical	ZB48	contact marketing	Jae Lee	jaelee@PERICOM.com
Switch	PI5A4594ACEX	Analog Switch	Low Voltage Single Supply	C05	Use PI5A3166CE	John Bai	jbai@PERICOM.com
Switch	PI5A4594ACE+COX	Analog Switch	Low Voltage Single Supply	C05		John Bai	jbai@PERICOM.com
Switch	PI5A4594ATE+COX	Analog Switch	So Tiny, 8-ohm SPST Analog Switch	T05		John Bai	jbai@PERICOM.com
Switch	PI5A4624TEX	Analog Switch	SoTiny, 1-Ohm, Low Voltage	T06	Possible replacement PI5A4157TAE (not pin to pin)	John Bai	jbai@PERICOM.com
Switch	PI5USB56ZKEX	ASSP	USB sleep and charge switch with automat	ZK24	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Switch	PI5USB56ZKE	ASSP	USB sleep and charge switch with automat	ZK24	contact marketing	Allan Armstrong	aarmstrong@PERICOM.com
Logic	PI2EQXDP101ZFEX	EQX	1 to 1display port redriver	ZF36	contact marketing	Jae Lee	jaelee@PERICOM.com
Logic	PI2EQXDP101ZFE	EQX	1 to 1display port redriver	ZF36	contact marketing	Jae Lee	jaelee@PERICOM.com
Logic	PI4ULS3V16MNLX	Universal Bi-directional level	Universal Bi-directionalLevel	NL45	Possible replacement PI4ULS3V16ZFE/AE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI4ULS3V16MNLE	Universal Bi-directional level	Universal Bi-directionalLevel	NL45	Possible replacement PI4ULS3V16ZFE/AE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74ALVTC16245AEX	ALPT	16-Bit Bidirectional Transceiv	A48	Possible replacement PI74LCX16244AE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74ALVTC16245AE	ALPT	16-Bit Bidirectional Transceiv	A48	Possible replacement PI74LCX16244AE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74ALVTC16245VEX	ALPT	16-Bit Bidirectional Transceiv	V48	Possible replacement PI74LCX16245VE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74ALVTC16245VE	ALPT	16-Bit Bidirectional Transceiv	V48	Possible replacement PI74LCX16245VE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74AVC+16836AEX	AVC	2.5V, 20-Bit Universal Bus	A56	Possible replacement PI3B32x384 (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74AVC+16836AE	AVC	2.5V, 20-Bit Universal Bus	A56	Possible replacement PI3B32x384 (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74FCT3244LEX	FCT	3V Octal Buffer	L20	Possible replacement PI74FCT3244QE (not pin to pin)	John Bai	jbai@PERICOM.com
Logic	PI74FCT3244LE	FCT	3V Octal Buffer	L20	Possible replacement PI74FCT3244QE (not pin to pin)	John Bai	jbai@PERICOM.com
Connect	PI7C8148ANJ	PCI	2 Port PCI-to-PCI Bridge	NJ160	PI7C8148ANJE	Bill Weir	BWeir@PERICOM.com
Connect	PI7C8154ANA	PCI	64-Bit/66MHz 2-Port PCI Bridge	NA304	PI7C8154ANAE	Bill Weir	BWeir@PERICOM.com
Connect	PI7C8154BNA	PCI	64-Bit/66MHz 2-Port PCI Bridge	NA304	PI7C8154BNAE	Bill Weir	BWeir@PERICOM.com
Clock	PI49FCT38053CHEX	Clock Buffer	Non-Inverting Clock Driver	H20	Use PI49FCT38052CHE	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT38053CHE	Clock Buffer	Non-Inverting Clock Driver	H20	Use PI49FCT38052CHE	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3805HE+AMX	Clock Buffer	Non-Inverting Clock Driver	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3805HE+AM	Clock Buffer	Non-Inverting Clock Driver	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT38072CSEX	Clock Buffer	3.3V 10 output Clock Buffer	S20	Use PI49FCT32807	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT38072CSE	Clock Buffer	3.3V 10 output Clock Buffer	S20	Use PI49FCT32807	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807AHE+AMX	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807AHE+AM	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807BHE+AMX	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807BHE+AM	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807CHE+AMX	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807CHE+AM	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807CQ+AMX	Clock Buffer	10-Output Non-Inverting Clock	Q20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807CQ+AM	Clock Buffer	10-Output Non-Inverting Clock	Q20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807HE+AMX	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT3807HE+AM	Clock Buffer	10-Output Non-Inverting Clock	H20		Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT807CTQEX	Clock Buffer	10-Output Non-Inverting Clock	Q20	Use PI49FCT32807	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI49FCT807CTQE	Clock Buffer	10-Output Non-Inverting Clock	Q20	Use PI49FCT32807	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C39911-2JEX	Zero Delay Buffer	Programmable Skew Zero Delay	J32	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C39911-2JE	Zero Delay Buffer	Programmable Skew Zero Delay	J32	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C39911-5JEX	Zero Delay Buffer	Programmable Skew Zero Delay	J32	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C39911-5JE	Zero Delay Buffer	Programmable Skew Zero Delay	J32	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C4022ZLEX	Clock Buffer	Dual kHz/MHz Crystal clock osc	ZL20	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6C4022ZLE	Clock Buffer	Dual kHz/MHz Crystal clock osc	ZL20	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6CV855-02LEX	Zero Delay Buffer	170 MHZ 1:10 SSTV Clock Driver	L28	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6CV855-02LE	Zero Delay Buffer	170 MHZ 1:10 SSTV Clock Driver	L28	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6CV857AEX	Zero Delay Buffer	DDR Clock Buffer SSTL2	A48	contact marketing	Ming Hoong Chong	mchong@PERICOM.com
Clock	PI6CV857AE	Zero Delay Buffer	DDR Clock Buffer SSTL2	A48	contact marketing	Ming Hoong Chong	mchong@PERICOM.com